



SETTING NEW
STANDARDS



HYPER
GRINDER


HYPERSHINE

MADE IN ITALY

HYPERSHINE

EVERY DAY'S BRILLIANT CLEANING

New and revolutionary diamond pads for floor polishing. Ideal for surfaces in natural stone, terrazzo, concrete, vinyl and epoxy. Easy to use with any floor scrubbing machines. They remove scratches, even deep, clean and polish. **They make your old floor look like new again!**



Diamond particles impregnated pads perform mechanical cleaning and polishing of the floor in place of chemicals.




Available in all sizes and grit from 60 to 10.000.



HYPERSHINE SOFT are easy to use.

For all kind of floor surfaces with all type of cleaning and polishing machines. Dry or Wet use they give better performance and long life due to high content of diamond particles.



HYPER GRINDER



HYPERSHINE SOFT

WASH AND POLISH IN ONE PASS



HYPER GRINDER

THE MAIN REASONS TO USE HYPERSHINE

Easy to use



The same routine operations but with better results.

Using HYPERSHINE pads is easy. Use them with all type of floor cleaning machines. Only need little water to achieve a perfect surface.

- ☑ They are suitable for all types of machines and are available in different sizes.
- ☑ Replaces chemicals and normal abrasive pads.
- ☑ Effective and fast even on the most resistant dirt and difficult surfaces.

Eco-Friendly



The work both wet or dry. Environmentally friendly system.

The respect of the environment is for everyone benefit. HYPERSHINE gives the best result without any chemicals.

- ☑ Sustainable.
- ☑ No chemicals.
- ☑ No wax or polish.



Savings



Faster, easier and cheaper.

HYPERSHINE pads clean any floor in any condition. Save on chemical products achieving a high gloss surface in a fast and easy way.

- ☑ **Cost effective.**
- ☑ **Hypershine have long life.**
- ☑ **No need far chemicals.**
- ☑ **Time and cost reductions.**

Superior results



Surprising results, superior brilliance every day.

With Hypershine you can turn an old floor into a new floor! Thanks to the diamond micro-particles the results are incredible! Removing scratches, cleaning and high glossy polishing will be a breeze.

- ☑ **High brightness.**
- ☑ **Maximum cleaning.**
- ☑ **Scratches removal.**
- ☑ **Easier and cheap maintenance.**

HOW TO USE

Marble and Terrazzo



Polishing with HYPERSHINE and single disc machine.

Mirror polishing in just **3 STEPS**

- Start sanding with HYPERSHINE SOFT 1 or 2 depending on the condition of the floor, then proceed with HYPERSHINE SOFT 3.
- We recommend that you work with little amount of water for about 60sec / sqm.
- Polish with HYPERSHINE SOFT 4 using water.

Linoleum, PVC, Vinyl



Floor restoration with high speed single disc machine.

Cleaning and Polish in only **3 STEPS**

- We recommend a high-speed machine.
 - Start by washing the floor with HYPERSHINE SOFT 1 or 2 depending on the condition of the floor, then proceed with HYPERSHINE SOFT 3. Working with a little water at an average speed of 200 rpm for about 60 sec / mq
 - Polish with HYPERSHINE SOFT 4, work with little water, increasing the speed of the mono-brush to 400 rpm.
- Maintenance: polish the floor with HYPERSHINE SOFT 4 dry system from 1000rpm high-speed polishing machine. Alternatively, use a floor machine with adjustable speed at 400 rpm.

Ceramics, Klinker and glazed tiles



Deep cleaning
(do not use on polished tiles).

Deep cleaning in only **2 STEPS**

- Start by washing the floor with HYPERSHINE SOFT 2. Use a low speed single brush machine of 160 rpm. Use a small amount of water and work until stains and dirt disappear.
- Proceed with HYPERSHINE SOFT 4. Work with little water at low speed.

HOW TO USE

Aged wood



Floor restoration with variable speed single disc machine.

Restore in only **3 STEPS**

- It is recommended to use a variable speed single disc machine.
- Start by washing the floor with HYPERSHINE SOFT 1 or 2 depending on the condition of the floor, then proceed with HYPERSHINE SOFT 3 and 4. Dry at medium speed of 200 rpm until the old signs and imperfections disappear.
- Polish at high speed with HYPERSHINE SOFT 4.
- Maintenance: Polish at high speed with dry HYPERSHINE 4.

Epoxy resin



Floor restoration.

Restore and polish in just **4 STEPS**

- It is recommended to use a variable speed single disc machine.
 - Start by washing the floor with HYPERSHINE SOFT 0 or 1 depending on the condition of the floor. Then proceed with HYPERSHINE SOFT 2 and 3. We recommend to work with little water at a speed of 200 rpm for about 60 sec / mq.
 - Polish with HYPERSHINE SOFT 4, work with little water, increasing speed up to 400 rpm.
- Maintenance: polish the floor with HYPERSHINE SOFT 4 dry with a high speed single disc machine.

Edges, corners and risers



Polishing with hand grinding machine or floor sander.

Finishing and polishing in just **4 STEPS**

Thanks to the high elasticity and durability, HYPERSHINE SOFT can be adapted to any angle grinder or stair polisher.

- Start sanding with HYPERSHINE SOFT 0 or 1 depending on the condition of the surface.
- Proceed with HYPERSHINE SOFT 2 and 3.
- Polish with HYPERSHINE SOFT 4. Polish with a little water or dry.

PRODUCT OVERVIEW

000



HYPERSHINE 000 - grit 60

Among the HYPERSHINE family is the most aggressive. Removes important scratches. Excessive wear and stains.

00



HYPERSHINE 00 - grit 120

Prepare the floor for further renovation with the HYPERSHINE method.

0



HYPERSHINE 0 - grit 220

Prepare the floor for further renovation with the HYPERSHINE method.

1



HYPERSHINE 1 - grit 400

For background cleaning. Quickly removes scratches and stains from the surface leaving it opaque, clean and ready for the next steps.

2



HYPERSHINE 2 - grit 800

It removes small scratches, leaves an opaque and well-prepared surface for the final steps of the HYPERSHINE method.

PRODUCT OVERVIEW

3



HYPERSHINE 3 - grit 1500

This pads leaves the surface ready for the polishing phase with the HYPERSHINE method.

4



HYPERSHINE 4 - grit 3000

Final phase for the HYPERSHINE standard method. Leaves the polished surface renewed. Also used for the daily maintenance of floors. Used regularly keeps the floor clean and shiny.

5



HYPERSHINE 5 - grit 5000

Adds a further degree of gloss and finish after HYPERSHINE 4.


6



HYPERSHINE 6 - grit 10000

Adds a further degree of gloss and finish after HYPERSHINE 5.

HYPERSHINE pads are easy to identify thanks to NUMBER printed on the back.



HYPERSHINE

IDEAL FOR USE WITH ANY FLOOR CLEANING MACHINES



4" HYPERSHINE SOFT ø100mm

HG4000	HYPERSHINE SOFT 000
HG400	HYPERSHINE SOFT 00
HG40	HYPERSHINE SOFT 0
HG41	HYPERSHINE SOFT 1
HG42	HYPERSHINE SOFT 2
HG43	HYPERSHINE SOFT 3
HG44	HYPERSHINE SOFT 4
HG45	HYPERSHINE SOFT 5
HG46	HYPERSHINE SOFT 6

5,5" HYPERSHINE SOFT ø140mm

HG5000	HYPERSHINE SOFT 000
HG500	HYPERSHINE SOFT 00
HG50	HYPERSHINE SOFT 0
HG51	HYPERSHINE SOFT 1
HG52	HYPERSHINE SOFT 2
HG53	HYPERSHINE SOFT 3
HG54	HYPERSHINE SOFT 4
HG55	HYPERSHINE SOFT 5
HG56	HYPERSHINE SOFT 6

6" HYPERSHINE SOFT ø150mm

HG6000	HYPERSHINE SOFT 000
HG600	HYPERSHINE SOFT 00
HG60	HYPERSHINE SOFT 0
HG61	HYPERSHINE SOFT 1
HG62	HYPERSHINE SOFT 2
HG63	HYPERSHINE SOFT 3
HG64	HYPERSHINE SOFT 4
HG65	HYPERSHINE SOFT 5
HG66	HYPERSHINE SOFT 6

8" HYPERSHINE SOFT ø200mm

HG8000	HYPERSHINE SOFT 000
HG800	HYPERSHINE SOFT 00
HG80	HYPERSHINE SOFT 0
HG81	HYPERSHINE SOFT 1
HG82	HYPERSHINE SOFT 2
HG83	HYPERSHINE SOFT 3
HG84	HYPERSHINE SOFT 4
HG85	HYPERSHINE SOFT 5
HG86	HYPERSHINE SOFT 6

9,5" HYPERSHINE SOFT ø240mm

HG9000	HYPERSHINE SOFT 000
HG900	HYPERSHINE SOFT 00
HG90	HYPERSHINE SOFT 0
HG91	HYPERSHINE SOFT 1
HG92	HYPERSHINE SOFT 2
HG93	HYPERSHINE SOFT 3
HG94	HYPERSHINE SOFT 4
HG95	HYPERSHINE SOFT 5
HG96	HYPERSHINE SOFT 6

11" HYPERSHINE SOFT ø280mm

HG11000	HYPERSHINE SOFT 000
HG1100	HYPERSHINE SOFT 00
HG110	HYPERSHINE SOFT 0
HG111	HYPERSHINE SOFT 1
HG112	HYPERSHINE SOFT 2
HG113	HYPERSHINE SOFT 3
HG114	HYPERSHINE SOFT 4
HG115	HYPERSHINE SOFT 5
HG116	HYPERSHINE SOFT 6

13" HYPERSHINE SOFT ø330mm

HG13000	HYPERSHINE SOFT 000
HG1300	HYPERSHINE SOFT 00
HG130	HYPERSHINE SOFT 0
HG131	HYPERSHINE SOFT 1
HG132	HYPERSHINE SOFT 2
HG133	HYPERSHINE SOFT 3
HG134	HYPERSHINE SOFT 4
HG135	HYPERSHINE SOFT 5
HG136	HYPERSHINE SOFT 6

16" HYPERSHINE SOFT ø406mm

HG16000	HYPERSHINE SOFT 000
HG1600	HYPERSHINE SOFT 00
HG160	HYPERSHINE SOFT 0
HG161	HYPERSHINE SOFT 1
HG162	HYPERSHINE SOFT 2
HG163	HYPERSHINE SOFT 3
HG164	HYPERSHINE SOFT 4
HG165	HYPERSHINE SOFT 5
HG166	HYPERSHINE SOFT 6

17" HYPERSHINE SOFT ø430mm

HG17000	HYPERSHINE SOFT 000
HG1700	HYPERSHINE SOFT 00
HG170	HYPERSHINE SOFT 0
HG171	HYPERSHINE SOFT 1
HG172	HYPERSHINE SOFT 2
HG173	HYPERSHINE SOFT 3
HG174	HYPERSHINE SOFT 4
HG175	HYPERSHINE SOFT 5
HG176	HYPERSHINE SOFT 6



18" HYPERSHINE SOFT ø450mm

HG18000	HYPERSHINE SOFT 000
HG1800	HYPERSHINE SOFT 00
HG180	HYPERSHINE SOFT 0
HG181	HYPERSHINE SOFT 1
HG182	HYPERSHINE SOFT 2
HG183	HYPERSHINE SOFT 3
HG184	HYPERSHINE SOFT 4
HG185	HYPERSHINE SOFT 5
HG186	HYPERSHINE SOFT 6

20" HYPERSHINE SOFT ø500mm

HG20000	HYPERSHINE SOFT 000
HG2000	HYPERSHINE SOFT 00
HG200	HYPERSHINE SOFT 0
HG201	HYPERSHINE SOFT 1
HG202	HYPERSHINE SOFT 2
HG203	HYPERSHINE SOFT 3
HG204	HYPERSHINE SOFT 4
HG205	HYPERSHINE SOFT 5
HG206	HYPERSHINE SOFT 6

21" HYPERSHINE SOFT ø530mm

HG21000	HYPERSHINE SOFT 000
HG2100	HYPERSHINE SOFT 00
HG210	HYPERSHINE SOFT 0
HG211	HYPERSHINE SOFT 1
HG212	HYPERSHINE SOFT 2
HG213	HYPERSHINE SOFT 3
HG214	HYPERSHINE SOFT 4
HG215	HYPERSHINE SOFT 5
HG216	HYPERSHINE SOFT 6

**HYPERSHINE pads are
available in all sizes,
also in rectangular shape.**



SETTING NEW
STANDARDS



HYPER
GRINDER

FOR EVERY DAY'S
BRILLANT CLEANING



HG HYPER GRINDER S.R.L

Via Chieti, 6 | 65121 Pescara (PE) | ITALY

P.Iva 02223280682 | hypergrinder@pec.it | Tel +39 085921 8160

www.hypergrinder.com | info@hypergrinder.com

Your Distributor:



rev.12022019